

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
8	REPLACED REV 7 DRAWING FORMAT THAT HAD PICTURES WITH SOLIDWORKS MODEL ASSEMBLY. 1. REV'D HOSE 40146 TO CHANGE FROM PVC TUBE TO TYGON HOSE 2. REPLACED WASTE BOTTLE BULKHEAD HOSE BARB 40546 WITH 50033 NPT BULKHEAD, 41042 AND 41043 QUICK CONNECT FITTINGS WITH SHUTOFF	7/7/2023	TCM

ITEM NO.	PARTNO	DESCRIPTION	QTY.
1	11767	SUPPORT PLATE, HYDRAULIC BRAKE PUMP	1
2	40018	1/4" NPT M to 1/4" hose Barb	9
3	40119	1/4" NPT M to Flow-Adjustment Valve	1
4	40147	1/4" NPT Plug	1
5	40242	GRADUATED HDPE PLASTIC JAR, 32 FL OZ	4
6	40410	90 Deg Adapter, 1/4" NPT Female x Male	6
7	40526	PELICAN CASE 1560NF-BLACK	1
8	40527	-8 JIC CAP, 1/2"	8
9	40528	-8 JIC Plug, 1/2"	8
10	40529	PLASTIC Y BARBED FITTING FOR 1/4" TUBE ID	6
11	40530	1/4" NPTM, 2-1/2" Pressure Gauge 0-1000 psi	1
12	40531	WASTE OIL CONTAINER 64 OZ.	1
13	40533	CHROME BRASS BALL VALVE, 1/4" NPT FEMALE X MALE	8
14	40534	1/4" NPTF 90deg Steel Pipe Fitting	1
15	40535	1/4" NPTF to NPTM 90 deg Fitting	3
16	40536	1/4" NPTF Steel Snap-Tite H-Shape Hose Coupling	1
17	40537	BLUE L-KEY, 2.5 mm HEX SIZE, 2-1/4" LG	1
18	40538	HEX L-KEY WITH STANDARD TIP, 1/8" SIZE, 3-7/8" LG	1
19	40539	3mm HEX L-KEY	1
20	40540	4mm HEX L-KEY	1
21	40542	1/4" NPTF Inline Hydraulic Fluid Filters 10 Micron	1
22	40543	STAUFF BLEED FITTING, STRAIGHT	6
23	40547	SPARE WASTE OIL CONTAINER LID	1
24	40549	.53" OD 10FT Hydraulic Hose 1/4" NPTM ENDS	1
25	40550	1/4" NPT Pipe Nipple Brass	1
26	40589	NEOPRENE INSERT BUMPER	4
27	40591	3/8" NPTM to 1/4" NPTF Adapter 316 SS	2
28	40596	ORGANIZER LID FOR PELICAN 1560	1
29	40831	TAMPER-RESISTANT HEX L-KEY	1
30	40952	1/4" NPT Male, 2-1/2" Long	2
31	41038	1/4" ID X 3/8" OD X 1/16" WALL TYGON TUBING QTY IN FEET	52
32	41042	PLASTIC QUICK-DISCONNECT TUBE COUPLING ACETAL	3
33	41043	PLASTIC QUICK-DISCONNECT TUBE COUPLING INSERT ACETAL	3
34	41046	SPRING-BAND CLAMPS	30
35	41051	4" W X 6" L 4MIL CLEAR LDPE RECLOSABLE BAGS	3
36	41054	13" W X 18" L RESEALABLE BAG 4MIL LDPE	3
37	50032	CLEAN OIL FILL CONTAINER 32 OZ	1
38	50033	3/4"-20 Bulkhead Fitting to 1/4" NPTF	4
39	50034	DUST CAP	2
40	50035	STEEL SNAP-TITE H-SHAPE HOSE COUPLING	1
41	50036	1/4" NPT STEEL SNAP-TITE H-SHAPE HOSE COUPLING	1
42	50042	1/4" NPT FFM TEE	2
43	50045	1/4" NPTF STEEL SNAP-TITE H-SHAPE HOSE COUPLING	1
44	50049	MANIFOLD CHARGE PORT COUPLING	1
45	50051	CHARGE HOSE PLUG	1
46	50089	STAUFF BLEED FITTING, 90 DEG	2
47	50240	HYDRAULIC HAND PUMP W/HANDLE	1
48	50373	-6 JIC CAP, 3/8"	8
49	50380	-6 JIC PLUG, 3/8"	8
50	50381	DUST CAP	2
51	60304	3/8" FLAT WASHER	6
52	60506	3/8"-16 THREAD SIZE, 1-1/4" LONG, FULLY THREADED 316SS	3
53	60544	5/16"-18, 5/8" LG 18-8 SS HEX HEAD SCREW,	4
54	60545	5/16", 0.322" ID, 0.583" OD SPLIT LOCK WASHER 18-8 SS	4
55	60546	3/8"-16 NYLON HEX NUT	3
56	70034	OILSORB PADS	3

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SEAKEEPER INCORPORATED. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SEAKEEPER IS PROHIBITED.

THIS DRAWING SUPERSEDES ALL OTHER FILE FORMAT TYPES UNLESS OTHERWISE SPECIFIED DO NOT SCALE DRAWING

3rd ANGLE PROJECTION

WEIGHT - LBS :

MATERIAL:

Seakeeper Inc., 45310 Abell House Lane, Suite 350 California, MD 20619


**DESCRIPTION:**

HYDRAULIC BRAKE SERVICE KIT  
SERVICE REFERENCE

**DRAWING NO:** 10384-SP  
**REV NO:** 8  
**SCALE:** 1:20  
**SHEET NO:** 1 OF 3








**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SEAKEEPER INCORPORATED. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SEAKEEPER IS PROHIBITED.

THIS DRAWING SUPERSEDES ALL OTHER FILE FORMAT TYPES UNLESS OTHERWISE SPECIFIED  
DO NOT SCALE DRAWING

3rd ANGLE PROJECTION  
  
WEIGHT - LBS :  
MATERIAL:

 Seakeeper Inc., 45310 Abell House Lane, Suite 350 California, MD 20619		
DESCRIPTION: HYDRAULIC BRAKE SERVICE KIT SERVICE REFERENCE		
DRAWING NO: 10384-SP	REV NO: 8	SCALE: SHEET NO: 1:10 3 OF 3